

CONTENTS

	Products	Page
	Displays	
	Bench Mounted Ambient Square Display	4-D
	Bench Mounted Heated Square Display	6-D
	Bench Mounted Refrigerated Square Display	5-D
	Fan Forced Cold Well - Drop In	7-D
	Fan Forced Cold Well - Mobile	9-D
	Free Standing Ambient Square Display	1-D
	Free Standing Heated Square Display	3-D
	Free Standing Refrigerated Square Display	2-D
	Heated Bain Marie - Drop In	8-D
	Heated Bain Marie - Mobile	10-D
	Ambient	
	
	
	Heated	
	Bain Marie Accessories	6, 8-11-H
	Bain Maries	1-11-H
	Banquet Carts	16-18-H
	Gantries	8-10-H
	Hot Food Slides	20-21-H
	Mobile Bain Maries	4-H
	Mobile Bain Maries & Hot Cupboards	5-H
	Mobile Plate Dispenser	12-13-H
	Under Bench Bain Maries	1-H
	Under Bench Bain Maries & Hot Cupboards	2-3-H
	Under Bench Hot Cupboard	7-H
	Vertical Hot Cupboard	14-15-H
	Warmer Drawers	19-H
	Refrigerated	
	Back Bar Refrigeration	2-4-R
	Chillair	1-R
	Glass Chillers	5-6-R
	Dish Handling	
	
	
	Trolleys	
	Tray lowerator	1-T
	Exhaust Canopies	1-2-E
	
	
	UDS Walls	1-2-U
	
	

DISPLAY LINE CABINETS - FREE STANDING

AMBIENT FOOD DISPLAY - SQUARE GLASS

- Temperature controlled ambient cabinet for displaying foods enables your food to stay fresher for longer
- Adjustable digital temperature controller allows food to be held at between 18-20°C in a maximum of 32°C air temperatures
- Double-glazed rear sliding doors - fully removable to enable easy loading and cleaning
- High impact low energy LED lighting fitted to each shelf
- Stainless steel flat shelves adjustable in height and angle with ticket stripping to the front and rear
- Removable front and rear crumb trays for ease of cleaning
- Robust construction throughout including 304 grade stainless steel body and toughened glass
- Self-contained refrigeration with built in evaporator burn-off tray (no plumbing to waste required)
- Modular design for building a display module with matching refrigerated and heated models
- Supplied with 150mm adjustable legs
- Available with glass shelves as an option (P.O.A)
- Available with rear shelf as an option (P.O.A)



<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
900mm long ambient display cabinet	CA.FD.T1.NS.L.0900	900 x 770 x 1445	1080W 4.5A 240V	\$12,675
1200mm long ambient display cabinet	CA.FD.T1.NS.L.1200	1200 x 770 x 1445	1080W 4.5A 240V	\$13,345
1500mm long ambient display cabinet	CA.FD.T1.NS.L.1500	1500 x 770 x 1445	1200W 5A 240V	\$14,435
1800mm long ambient display cabinet	CA.FD.T1.NS.L.1800	1800 x 770 x 1445	1200W 5A 240V	\$16,750
2400mm long ambient display cabinet	CA.FD.T1.NS.L.2400	2400 x 770 x 1445	1320W 5.5A 240V	\$20,775

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

DISPLAY LINE CABINETS - FREE STANDING

REFRIGERATED FOOD DISPLAY - SQUARE GLASS

- Adjustable digital temperature controller allows food to be held between 2°C and 4°C in 32°C ambient air temperatures
- Features heated double-glazed glass to prevent condensation and allows excellent product display
- Double-glazed rear sliding doors - fully removable to enable easy loading and cleaning
- High impact, low energy LED lighting fitted to each shelf
- Stainless steel flat shelves adjustable in height and angle with ticket stripping to the front and rear
- Removable front and rear crumb trays for ease of cleaning
- Robust construction throughout including 304 grade stainless steel body and toughened glass
- Self-contained refrigeration with built in evaporator burn-off tray (no plumbing to waste required)
- Modular design for building a display module with matching ambient and heated models
- Supplied with 150mm adjustable legs
- Available with glass shelves as an option (P.O.A)
- Available with rear shelf as an option (P.O.A)




<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
900mm long refrigerated display cabinet	CR.FD.T1.NS.L.0900	900 x 770 x 1445	1200W 5A 240V	\$12,675
1200mm long refrigerated display cabinet	CR.FD.T1.NS.L.1200	1200 x 770 x 1445	1440W 6A 240V	\$13,345
1500mm long refrigerated display cabinet	CR.FD.T1.NS.L.1500	1500 x 770 x 1445	1800W 7.5A 240V	\$14,435
1800mm long refrigerated display cabinet	CR.FD.T1.NS.L.1800	1800 x 770 x 1445	2040W 8.5A 240V	\$16,750
2400mm long refrigerated display cabinet	CR.FD.T1.NS.L.2400	2400 x 770 x 1445	2280W 9.5A 240V	\$20,775

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

DISPLAY LINE CABINETS - FREE STANDING

HEATED FOOD DISPLAY - SQUARE GLASS

- Fan-forced heating provides an even temperature throughout the unit for holding pies, pastries, pizzas and other products
- Adjustable digital temperature controller allows food to be held at between 65°C and 80°C (food must be heated above 65°C before being placed in cabinet)
- Fully removable rear toughened glass sliding door with handles
- High impact lighting fitted to top shelf
- Stainless steel wire shelves adjustable in height and angle with ticket stripping to the front and rear
- Robust construction throughout including 304 grade stainless steel body and toughened glass
- Modular design for building a display module with matching refrigerated and ambient models
- Supplied with 150mm adjustable legs
- Available with rear shelf as an option (P.O.A)



<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
900mm long heated display cabinet	CH.FD.T1.NS.L.0900	900 x 770 x 1445	2400W 10A 240V	\$8,950
1200mm long heated display cabinet	CH.FD.T1.NS.L.1200	1200 x 770 x 1445	3600W 15A 240V	\$10,040
1500mm long heated display cabinet	CH.FD.T1.NS.L.1500	1500 x 770 x 1445	4800W 20A 240V	\$11,450
1800mm long heated display cabinet	CH.FD.T1.NS.L.1800	1800 x 770 x 1445	6000W 3Ø 8.4A/Ø ^{NSI} 240V	\$13,560

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

DISPLAY LINE CABINETS - BENCH MOUNTED

AMBIENT FOOD DISPLAY - SQUARE GLASS

- Temperature controlled ambient cabinet for displaying foods allows your food to stay fresher for longer
- Adjustable digital temperature controller allows food to be held at between 18-20°C in 32°C air temperatures
- Double-glazed rear sliding doors - fully removable to enable easy loading and cleaning
- High impact low energy LED lighting fitted to each shelf
- Stainless steel flat shelves adjustable in height and angle with ticket stripping to the front and rear
- Removable front and rear crumb trays for ease of cleaning
- Robust construction throughout including 304 grade stainless steel body and toughened glass
- Self-contained refrigeration with built in evaporator burn-off tray (no plumbing to waste required)
- Display is able to be recessed into the counter for a stunning low profile effect
- Modular design for building a display module with matching refrigerated and heated models
- Available with glass shelves as an option




<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
900 wide ambient food display	CA.FD.T2.0900	900 x 760 x 1245	1080W 4.5A 240V	\$8,095
1200 wide ambient food display	CA.FD.T2.1200	1200 x 760 x 1245	1080W 4.5A 240V	\$8,535
1500 wide ambient food display	CA.FD.T2.1500	1500 x 760 x 1245	1200W 5A 240V	\$9,520
1800 wide ambient food display	CA.FD.T2.1800	1800 x 760 x 1245	1200W 5A 240V	\$11,555

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

DISPLAY LINE CABINETS - BENCH MOUNTED

REFRIGERATED FOOD DISPLAY - SQUARE GLASS

- Adjustable digital temperature controller allows food to be held at between 2°C and 4°C in 32°C air temperatures
- Features heated double-glazed glass to prevent condensation and allows excellent product display
- Double-glazed rear sliding doors - fully removable to enable easy loading and cleaning
- High impact, low energy LED lighting fitted to each shelf
- Stainless steel flat shelves adjustable in height and angle with ticket stripping to the front and rear
- Removable front and rear crumb trays for ease of cleaning
- Robust construction throughout including 304 grade stainless steel body and toughened glass
- Self-contained refrigeration with built in evaporator burn-off tray (no plumbing to waste required)
- Display is able to be recessed into the counter for a stunning low profile effect
- Modular design for building a display module with matching ambient and heated models
- Available with glass shelves as an option



<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
900 wide refrigerated food display	CR.FD.T2.0900	900 x 760 x 1245	1200W 5A 240V	\$8,095
1200 wide refrigerated food display	CR.FD.T2.1200	1200 x 760 x 1245	1440W 6A 240V	\$8,535
1500 wide refrigerated food display	CR.FD.T2.1500	1500 x 760 x 1245	1800W 7.5A 240V	\$9,520
1800 wide refrigerated food display	CR.FD.T2.1800	1800 x 760 x 1245	2040W 8.5A 240V	\$11,555

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

DISPLAY LINE CABINETS - BENCH MOUNTED

HEATED FOOD DISPLAY - SQUARE GLASS

- Static heating elements provides an even temperature throughout the unit for holding pies, pastries, pizzas and other products
- Adjustable digital temperature controller allows food to be held at between 65°C and 80°C (food must be heated above 65°C before being placed in cabinet)
- Rear toughened glass sliding door with handles - fully removable to enable easy loading and cleaning
- Stainless steel wire shelves adjustable in height and angle with ticket stripping to the front and rear
- Robust construction throughout including 304 grade stainless steel body and toughened glass
- Display is able to be recessed into the counter for a stunning low profile effect
- Modular design for building a display module with matching refrigerated and ambient models
- Various accessories available




<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
900 wide heated food display	CH.FD.T2.0900	900 x 760 x 840	1700W 7A 240V	\$5,180
1200 wide heated food display	CH.FD.T2.1200	1200 x 760 x 840	2650W 11A 240V	\$5,355
1500 wide heated food display	CH.FD.T2.1500	1500 x 760 x 840	3500W 14.6A 240V	\$6,640
1800 wide heated food display	CH.FD.T2.1800	1800 x 760 x 840	4350W 18A 240V	\$7,290

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BUFFET LINE COLD WELLS

FAN FORCED COLD WELL WITH GANTRY - DROP IN WITH FLAT GLASS

- Designed to hold products at precise temperatures between 2°C and 4°C in 32°C ambient temperatures
- Fitted with a stainless steel gantry support frame and light surround
- 10mm toughened glass gantry fitted with overhead fluorescent lights
- Takes gastronorm pans up to 100mm deep (Sold separately)
- On/Off switches to operate cold well and overhead Gantry light
- Digital temperature controller for accurate and easy to read display
- Self-contained refrigeration (supplies with removable condensate collection container as standard or can be plumbed to waste)
- Complete 304 grade stainless steel construction




<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
3 Gastronorm pan capacity cold well	CR.CWFFG.T1.3M	1195 x 822 x 1080	1080W 4.5A 240V	\$9,925
4 Gastronorm pan capacity cold well	CR.CWFFG.T1.4M	1535 x 822 x 1080	1080W 4.5A 240V	\$11,615
5 Gastronorm pan capacity cold well	CR.CWFFG.T1.5M	1875 x 822 x 1080	1320W 5.5A 240V	\$12,865
6 Gastronorm pan capacity cold well	CR.CWFFG.T1.6M	2215 x 822 x 1080	1440W 6A 240V	\$13,820
7 Gastronorm pan capacity cold well	CR.CWFFG.T1.7M	2555 x 822 x 1080	1680W 7A 240V	\$15,215
8 Gastronorm pan capacity cold well	CR.CWFFG.T1.8M	2895 x 822 x 1080	1680W 7A 240V	\$16,475

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BUFFET LINE BAIN MARIES

HEATED BAIN MARIE WITH GANTRY - DROP IN WITH FLAT GLASS

- Modular drop-in design allows for simple, inexpensive installation
- Takes gastronorm pans (max. 150mm deep, sold separately) that are designed to be recessed to minimise water condensation on surrounding bench tops
- Adjustable temperature controller allows food to be held at between 65°C and 80°C
- Fitted with 10mm thick toughened glass gantry with overhead quartz IR heat lamps to maintain surface temperature and provide product illumination
- Overhead heat lamps are fully adjustable via a solid-state voltage controller for accurate temperature selection
- Electro-mechanical temperature controls are fitted to ensure long term reliable service
- Individual On/Off switches to operate bain marie and overhead gantry heat lamps
- Robust construction throughout with 304 grade stainless steel and toughened glass




Description	Model	Dimensions	Electrical Rating	RRP ex GST
3 Gastronorm pan capacity bain marie	CH.BMG.T1.3M	1195 x 822 x 830	2850W 11.87A 1Ø 240V	\$6,720
4 Gastronorm pan capacity bain marie	CH.BMG.T1.4M	1535 x 822 x 830	4000W 3Ø 5.5A/Ø ^{RV} 240V	\$7,295
5 Gastronorm pan capacity bain marie	CH.BMG.T1.5M	1875 x 822 x 830	5250W 3Ø 7.3A/Ø ^{RV} 240V	\$8,190
6 Gastronorm pan capacity bain marie	CH.BMG.T1.6M	2215 x 822 x 830	6500W 3Ø 9A/Ø ^{RV} 240V	\$9,020
7 Gastronorm pan capacity bain marie	CH.BMG.T1.7M	2555 x 822 x 830	7250W 3Ø 10A/Ø ^{RV} 240V	\$9,815
8 Gastronorm pan capacity bain marie	CH.BMG.T1.8M	2895 x 822 x 830	8000W 3Ø 11.1A/Ø ^{RV} 240V	\$10,600

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BUFFET LINE COLD WELLS - FREE STANDING

FAN FORCED COLD WELL ISLAND BUFFET - MOBILE

- ❑ Designed to hold products at precise temperatures between 2°C and 4°C in 32°C ambient temperatures
- ❑ Fitted with a stainless steel gantry support frame and light surround
- ❑ 10mm toughened glass overhead gantry fitted with overhead fluorescent lights
- ❑ Takes gastronorm pans up to 100mm deep (Sold separately)
- ❑ On/Off switches to operate cold well and overhead Gantry light
- ❑ Digital temperature controller for accurate and easy to read display
- ❑ Self-contained refrigeration (supplies with removable condensate collection container as standard or can be plumbed to waste)
- ❑ Vents are fitted to the cupboard to enable the refrigeration unit to function correctly
- ❑ 32mm Laminated top and 16mm pre-finished board to carcase and doors to match customers decor (available in a selected range of colours and finishes)
- ❑ Ability to customise length and width to suit application - minimum possible dimensions shown




<i>Description</i>	<i>Model</i>	<i>Minimum Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
3 Gastronorm pan capacity cold well	CR.IB.T1.3M	1380 x 1000 x 1280	1080W 4.5A 240V	\$13,860
4 Gastronorm pan capacity cold well	CR.IB.T1.4M	1720 x 1000 x 1280	1080W 4.5A 240V	\$14,765
5 Gastronorm pan capacity cold well	CR.IB.T1.5M	2060 x 1000 x 1280	1320W 5.5A 240V	\$16,370
6 Gastronorm pan capacity cold well	CR.IB.T1.6M	2400 x 1000 x 1280	1440W 6A 240V	\$17,345
7 Gastronorm pan capacity cold well	CR.IB.T1.7M	2740 x 1000 x 1280	1680W 7A 240V	\$18,890
8 Gastronorm pan capacity cold well	CR.IB.T1.8M	3080 x 1000 x 1280	1680W 7A 240V	\$20,210

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BUFFET LINE BAIN MARIES - FREE STANDING

HEATED BAIN MARIE ISLAND BUFFET - MOBILE

- Gastronorm pans (max.150mm deep, sold separately) are designed to be recessed to minimise water condensation on surrounding bench tops
- Adjustable temperature controller allows food to be held at between 65°C and 80°C
- Fitted with 10mm thick toughened glass gantry with overhead quartz IR heat lamps to maintain surface temperature and provide product illumination
- Overhead heat lamps are fully adjustable via a solid-state voltage controller for accurate temperature selection
- Electro-mechanical temperature controls are fitted to ensure long term reliable service
- Individual On/Off switches to operate bain marie and gantry heat lamps
- 32mm Laminated top and 16mm pre-finished board to carcase and doors to match customers decor (available in a selected range of colours and finishes)
- Ability to customise length and width to suit application - minimum possible dimensions shown




Description	Model	Minimum Dimensions	Electrical Rating	RRP ex GST
3 Gastronorm pan capacity bain marie	CH.IB.T1.3M	1380 x 1000 x 1280	2850W 11.87A 1Ø 240V	\$11,290
4 Gastronorm pan capacity bain marie	CH.IB.T1.4M	1720 x 1000 x 1280	4000W 3Ø 5.5A/Ø ^{3W} 240V	\$12,290
5 Gastronorm pan capacity bain marie	CH.IB.T1.5M	2060 x 1000 x 1280	5250W 3Ø 7.3A/Ø ^{3W} 240V	\$13,265
6 Gastronorm pan capacity bain marie	CH.IB.T1.6M	2400 x 1000 x 1280	6500W 3Ø 9A/Ø ^{3W} 240V	\$14,490
7 Gastronorm pan capacity bain marie	CH.IB.T1.7M	2740 x 1000 x 1280	7250W 3Ø 10A/Ø ^{3W} 240V	\$15,470
8 Gastronorm pan capacity bain marie	CH.IB.T1.8M	3080 x 1000 x 1280	8000W 3Ø 11.1A/Ø ^{3W} 240V	\$16,695

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BAIN MARIES

UNDER BENCH BAIN MARIE

- Heavy duty bain marie designed to hold hot food at the optimum temperature in GN pans up to 150mm deep
- Double skinned construction, air insulated on all sides to minimise heat of external panels
- Ready for connection to hot water inlet and waste with all valves supplied
- Semi automatic fill design with pre-fitted overflow stand pipe as standard
- Fully modular system designed to fit under custom made stainless steel bench top
- Complete 304 grade stainless steel construction
- Available in 2, 3, 4, 5, 6, 7, & 8 GN 1/1 modules



NOTE: Work top required when adding gantry to unit.
 Addition of gantry will change electrical requirements. See your local Stoddart representative for more information.


Description	Model	Dimensions	Electrical Rating	RRP ex GST
2 module under bench bain marie	CH.CBM2.U	760 x 610 x 285	1500W	\$2,580
with radius corners	CH.CBM2.UR	760 x 610 x 285	6.25A 1Ø 240V	\$2,980
3 module under bench bain marie	CH.CBM3.U	1100 x 610 x 285	2250W	\$2,880
with radius corners	CH.CBM3.UR	1100 x 610 x 285	9.37A 1Ø 240V	\$3,220
4 module under bench bain marie	CH.CBM4.U	1440 x 610 x 285	3000W	\$3,080
with radius corners	CH.CBM4.UR	1440 x 610 x 285	12.5A 1Ø 240V	\$3,420
5 module under bench bain marie	CH.CBM5.U	1780 x 610 x 285	3750W	\$3,280
with radius corners	CH.CBM5.UR	1780 x 610 x 285	3Ø 5.2A/Ø ^W 240V	\$3,620
6 module under bench bain marie	CH.CBM6.U	2120 x 610 x 285	4500W	\$3,620
with radius corners	CH.CBM6.UR	2120 x 610 x 285	3Ø 6.25A/Ø ^W 240V	\$4,040
7 module under bench bain marie	CH.CBM7.U	2460 x 610 x 285	5250W	\$3,980
with radius corners	CH.CBM7.UR	2460 x 610 x 285	3Ø 7.3A/Ø ^W 240V	\$4,360
8 module under bench bain marie	CH.CBM8.U	2800 x 610 x 285	6000W	\$4,480
with radius corners	CH.CBM8.UR	2800 x 610 x 285	3Ø 8.4A/Ø ^W 240V	\$4,840

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BAIN MARIE & HOT-CUPBOARD

UNDER BENCH BAIN MARIE AND HOT CUPBOARD - RIGHT HAND CONTROLS

- Heavy duty bain marie designed to hold hot food at the optimum temperature in GN pans up to 150mm deep
- Separately controlled hot cupboard features a fan forced heating system, which offers energy saving efficiency, faster heat-up times and even heat distribution
- Adjustable temperature controller allows food to be held at between 65°C and 90°C
- Easy glide doors that do not sit in a track, eliminates dirt trap
- Fully modular system designed to fit under custom made stainless steel bench top
- Double skinned construction, air insulated on all sides to minimise heat of external panels
- Ready for connection to hot water inlet and waste with all valves supplied
- Semi automatic fill design with pre-fitted overflow stand pipe as standard
- Complete 304 grade stainless steel construction
- Available in 3, 4, 5, 6, 7, & 8 GN 1/1 module
- Supplied with 1 chrome plated steel wire shelf per door



NOTE: Work top required when adding gantry to unit. Addition of gantry will change electrical requirements. See your local Stoddart representative for more information.


Description	Model	Dimensions	Electrical Rating	RRP ex GST
3 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH3.U	1100 x 750 x 900	4650W	\$5,340
	with radius corners CH.CBMH3.UR	1100 x 750 x 900	3Ø 6.46A/Ø ^{AV} 240V	\$5,740
4 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH4.U	1440 x 750 x 900	5400W	\$5,980
	with radius corners CH.CBMH4.UR	1440 x 750 x 900	3Ø 7.5A/Ø ^{AV} 240V	\$6,380
5 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH5.U	1780 x 750 x 900	6150W	\$6,520
	with radius corners CH.CBMH5.UR	1780 x 750 x 900	3Ø 8.5A/Ø ^{AV} 240V	\$6,960
6 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH6.U	2120 x 750 x 900	6900W	\$7,060
	with radius corners CH.CBMH6.UR	2120 x 750 x 900	3Ø 9.58A/Ø ^{AV} 240V	\$7,480
7 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH7.U	2460 x 750 x 900	10,050W	\$8,720
	with radius corners CH.CBMH7.UR	2460 x 750 x 900	3Ø 13.96A/Ø ^{AV} 240V	\$9,120
8 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH8.U	2800 x 750 x 900	10,800W	\$9,120
	with radius corners CH.CBMH8.UR	2800 x 750 x 900	3Ø 15A/Ø ^{AV} 240V	\$9,540

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BAIN MARIE & HOT-CUPBOARD

UNDER BENCH BAIN MARIE AND HOT CUPBOARD - LEFT HAND CONTROLS

- Heavy duty bain marie designed to hold hot food at the optimum temperature in GN pans up to 150mm deep
- Separately controlled hot cupboard features a fan forced heating system, which offers energy saving efficiency, faster heat-up times and even heat distribution
- Adjustable temperature controller allows food to be held at between 65°C and 90°C
- Easy glide doors that do not sit in a track, eliminates dirt trap
- Fully modular system designed to fit under custom made stainless steel bench top
- Double skinned construction, air insulated on all sides to minimise heat of external panels
- Ready for connection to hot water inlet and waste with all valves supplied and fitted.
- Auto fill design with pre-fitted overflow stand pipe as standard
- Complete 304 grade stainless steel construction
- Available in 3, 4, 5, 6, 7, & 8 GN 1/1 module
- Supplied with 1 chrome plated steel wire shelf per door



NOTE: Work top required when adding gantry to unit. Addition of gantry will change electrical requirements. See your local Stoddart representative for more information.

Description	Model	Dimensions	Electrical Rating	RRP ex GST
3 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH3.U.LH	1100 x 750 x 900	4650W	\$5,760
with radius corners	CH.CBMH3.UR.LH	1100 x 750 x 900	3Ø 6.46A/Ø ^{AV} 240V	\$6,160
4 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH4.U.LH	1440 x 750 x 900	5400W	\$6,380
with radius corners	CH.CBMH4.UR.LH	1440 x 750 x 900	3Ø 7.5A/Ø ^{AV} 240V	\$6,820
5 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH5.U.LH	1780 x 750 x 900	6150W	\$6,960
with radius corners	CH.CBMH5.UR.LH	1780 x 750 x 900	3Ø 8.5A/Ø ^{AV} 240V	\$7,360
6 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH6.U.LH	2120 x 750 x 900	6900W	\$7,480
with radius corners	CH.CBMH6.UR.LH	2120 x 750 x 900	3Ø 9.58A/Ø ^{AV} 240V	\$7,880
7 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH7.U.LH	2460 x 750 x 900	10,050W	\$9,120
with radius corners	CH.CBMH7.UR.LH	2460 x 750 x 900	3Ø 13.96A/Ø ^{AV} 240V	\$9,540
8 Gastronorm pan capacity bain marie and hot cupboard	CH.CBMH8.U.LH	2800 x 750 x 900	10,800W	\$9,540
with radius corners	CH.CBMH8.UR.LH	2800 x 750 x 900	3Ø 15A/Ø ^{AV} 240V	\$9,960

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

MOBILE BAIN MARIES

MOBILE BAIN MARIE

- Mobile heavy duty bain marie designed to hold hot food at the optimum temperature in GN pans up to 150mm deep
- Digital controller allows temperature adjustments between 30°C and 90°C
- Ergonomic stainless steel handle for easy mobility of the unit
- Double skinned construction, air insulated on all sides to minimise heat of external panels
- Manual fill and manual empty
- Removable element covers
- Heavy duty non marking 125mm castors with brakes
- Complete 304 grade stainless steel construction
- Standard gantries are available with or without heat lamps; glass sides; roller doors; sneeze guards. Lift up, fold down side shelf.



NOTE: Addition of gantry will change electrical requirements.
See your local Stoddart representative for more information.


Description	Model	Dimensions	Electrical Rating	RRP ex GST
3 module mobile bain marie	CH.CBM3.M	1210 x 645 x 900	1800W 5 A 240V	\$3,780
4 module mobile bain marie	CH.CBM4.M	1550 x 645 x 900	2400W 10A 240V	\$4,320

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

MOBILE BAIN MARIES & HOT CUPBOARD

MOBILE BAIN MARIE AND HOT CUPBOARD

- Mobile heavy duty bain marie designed to hold hot food at the optimum temperature in GN pans up to 150mm deep
- Separately controlled hot cupboard features a fan forced heating system, which offers energy saving efficiency, faster heat-up times and even heat distribution
- Adjustable individual thermostat with digital temperature display can adjust temperature up to 90°C
- Ergonomic stainless steel handle for easy mobility of the unit
- Double skinned construction, air insulated on all sides to minimise heat of external panels
- Removable element covers
- Heavy duty non marking 125mm castors with brakes
- Easy glide doors that do not sit in a track - eliminates dirt trap
- Complete 304 grade stainless steel construction
- Supplied with 1 chrome plated steel wire shelf per door
- Standard gantries are available with or without heat lamps; glass sides; roller doors; sneeze guards. Lift up, fold down side shelf.




<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
3 gastronorm pan capacity mobile bain marie and hot cupboard	CH.CBMH3.M	1210 x 680 x 900	4200W 17.5A 240V	\$5,960
4 gastronorm pan capacity mobile bain marie and hot cupboard	CH.CBMH4.M	1550 x 680 x 900	4800W 20A 240V	\$6,480

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BAIN MARIE ACCESSORIES

BAIN MARIE WORK TOPS


- 304 Stainless steel worktop in no. 4 finish
- Plywood backed
- Includes divider bars for GN well
- For CH.CBM series



Description	Model	Dimensions	RRP ex GST
2 module - Drop-in kit	CH.CTBM.2D	797 x 647 x 40	\$520
3 module - Drop-in kit	CH.CTBM.3D	1137 x 647 x 40	\$540
4 module - Drop-in kit	CH.CTBM.4D	1477 x 647 x 40	\$560
5 module - Drop-in kit	CH.CTBM.5D	1817 x 647 x 40	\$640
6 module - Drop-in kit	CH.CTBM.6D	2157 x 647 x 40	\$680
7 module - Drop-in kit	CH.CTBM.7D	2497 x 647 x 40	\$720
8 module - Drop-in kit	CH.CTBM.8D	2837 x 647 x 40	\$780

BAIN MARIE HOT-CUPBOARD WORK TOPS


- 304 Stainless steel worktop in no. 4 finish
- Plywood backed
- Includes divider bars
- For CH.CBMH.U series



Description	Model	Dimensions	RRP ex GST
3 module - Island top	CH.CT.3i	1104 x 754 x 56	\$540
4 module - Island top	CH.CT.4i	1444 x 754 x 56	\$580
5 module - Island top	CH.CT.5i	1784 x 754 x 56	\$660
6 module - Island top	CH.CT.6i	2124 x 754 x 56	\$720
7 module - Island top	CH.CT.7i	2464 x 754 x 56	\$780
8 module - Island top	CH.CT.8i	2804 x 754 x 56	\$840

BAIN MARIE HOT-CUPBOARD WORK TOPS

- 304 Stainless steel worktop in no. 4 finish
- Plywood backed
- Includes divider bars
- For CH.CHC.U series




Description	Model	Dimensions	RRP ex GST
3 module - Island top	CH.CTHC.3	1104 x 654 x 56	\$530
4 module - Island top	CH.CTHC.4	1444 x 654 x 56	\$580
5 module - Island top	CH.CTHC.5	1784 x 654 x 56	\$650
6 module - Island top	CH.CTHC.6	2124 x 654 x 56	\$710
7 module - Island top	CH.CTHC.7	2464 x 654 x 56	\$760
8 module - Island top	CH.CTHC.8	2804 x 654 x 56	\$830

UNDER BENCH HOT CUPBOARDS

UNDER BENCH HOT CUPBOARD

- ❑ Designed to heat plates and serving dishes, capable of holding plated meals and bulk foods
- ❑ Features a fan forced heating system, for gentle and even distribution of heat
- ❑ Adjustable thermostat with digital temperature display can adjust temperature up to 90°C
- ❑ Easy glide doors that do not sit in a track - eliminates dirt trap
- ❑ Fully modular system designed to fit under custom made stainless steel bench top
- ❑ Double skinned construction, air insulated on all sides to minimise heat of external panels
- ❑ Complete 304 grade stainless steel construction
- ❑ Available in 3, 4, 5, 6, 7, & 8 GN 1/1 module
- ❑ Supplied with 1 chrome plated steel wire shelf per door



NOTE: Designed for under bench use as standard - add a work top for use as a preparation bench (sold separately)


Description	Model	Dimensions	Electrical Rating	RRP ex GST
3 module hot cupboard	CH.CHC3.U	1100 x 650 x 870	2400W 10A 240V	\$3,680
4 module hot cupboard	CH.CHC4.U	1440 x 650 x 870	2400W 10A 240V	\$3,960
5 module hot cupboard	CH.CHC5.U	1780 x 650 x 870	2400W 10A 240V	\$4,640
6 module hot cupboard	CH.CHC6.U	2120 x 650 x 870	2400W 10A 240V	\$5,020
7 module hot cupboard	CH.CHC7.U	2460 x 650 x 870	4800W 20A 240V	\$5,860
8 module hot cupboard	CH.CHC8.U	2800 x 650 x 870	4800W 20A 240V	\$6,280

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BAIN MARIE ACCESSORIES

GANTRIES - STRAIGHT GLASS

- To be fitted to customizable bain maries
- Stainless steel top in no. 4 finish
- Stainless steel tubes (32 x 32mm)
- 6mm toughened glass to ends
- Single glazed sliding toughened glass door available as an additional option
- Price includes fitting to Culinaire bain marie top
- Heated models include overhead infra-red heat lamps



Unheated A frame gantry with glass ends only

Description	Model	Dimensions	RRP ex GST
Suits 3 bay model	CH.CG.3G	1080 x 600 x 475	\$580
Suits 4 bay model	CH.CG.4G	1420 x 600 x 475	\$650
Suits 5 bay model	CH.CG.5G	1760 x 600 x 475	\$720
Suits 6 bay model	CH.CG.6G	2100 x 600 x 475	\$760
Suits 7 bay model	CH.CG.7G	2440 x 600 x 475	\$830
Suits 8 bay model	CH.CG.8G	2780 x 600 x 475	\$910

Heated A frame gantry with glass ends only

Description	Model	Dimensions	Electrical Rating (all 240V)	RRP ex GST
Suits 3 bay model - 2 heat lamps	CH.CG.3GH	1080 x 600 x 475	600W, 2.5A	\$920
Suits 4 bay model - 3 heat lamps	CH.CG.4GH	1420 x 600 x 475	900W, 3.75A	\$1,030
Suits 5 bay model - 4 heat lamps	CH.CG.5GH	1760 x 600 x 475	1200W, 5A	\$1,160
Suits 6 bay model - 4 heat lamps	CH.CG.6GH	2100 x 600 x 475	1200W, 5A	\$1,220
Suits 7 bay model - 5 heat lamps	CH.CG.7GH	2440 x 600 x 475	1500W, 6.25A	\$1,400
Suits 8 bay model - 6 heat lamps	CH.CG.8GH	2780 x 600 x 475	1800W, 7.5A	\$1,540

Fixed glass front


Description	Model	Dimensions	RRP ex GST
Suits 3 bay A frame gantry	CH.CGF.3G	1080 x 300 x 750	\$120
Suits 4 bay A frame gantry	CH.CGF.4G	1420 x 300 x 750	\$130
Suits 5 bay A frame gantry	CH.CGF.5G	1760 x 300 x 750	\$140
Suits 6 bay A frame gantry	CH.CGF.6G	2100 x 300 x 750	\$150
Suits 7 bay A frame gantry	CH.CGF.7G	2440 x 300 x 750	\$160
Suits 8 bay A frame gantry	CH.CGF.8G	2780 x 300 x 750	\$180

For combined electrical loads including gantries as well as pricing, contact your local sales representative. Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details.
 WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BAIN MARIE ACCESSORIES

GANTRIES - STRAIGHT GLASS OPTION


- To be fitted to customizable bain maries
- 6mm clear glass to ends
- Single glazed sliding toughened glass door to rear available as an additional option
- Price includes fitting to Culinaire bain marie top



Sliding glass door (per side)

Description	Model	Dimensions	RRP ex GST
Suits 3 bay model - 2 doors	CH.CGD.3G	1080 x 600 x 475	\$240
Suits 4 bay model - 2 doors	CH.CGD.4G	1420 x 600 x 475	\$260
Suits 5 bay model - 2 doors	CH.CGD.5G	1760 x 600 x 475	\$300
Suits 6 bay model - 3 doors	CH.CGD.6G	2100 x 600 x 475	\$340
Suits 7 bay model - 4 doors	CH.CGD.7G	2440 x 600 x 475	\$360
Suits 8 bay model - 4 doors	CH.CGD.8G	2780 x 600 x 475	\$400

Glass sneeze guards (per side)



Description	Model	Dimensions	RRP ex GST
Suits 3 bay A frame gantry	CH.CSG.3G	1080 x 600 x 475	\$150
Suits 4 bay A frame gantry	CH.CSG.4G	1420 x 600 x 475	\$160
Suits 5 bay A frame gantry	CH.CSG.5G	1760 x 600 x 475	\$170
Suits 6 bay A frame gantry	CH.CSG.6G	2100 x 600 x 475	\$180
Suits 7 bay A frame gantry	CH.CSG.7G	2440 x 600 x 475	\$260
Suits 8 bay A frame gantry	CH.CSG.8G	2780 x 600 x 475	\$280

NOTE: To fit a gantry to a Culinaire bain marie (CH.CBM series) or bain marie hot-cupboard (CH.CBMH.U series) you will also need a suitable work-top or a custom top supplied by others


Lexan (heat resistant plastic) gantries also available. For combined electrical loads including gantries as well as pricing, contact your local sales representative. Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BAIN MARIE ACCESSORIES

TWO TIER OVER SHELVES - 2 TIER GANTRY

- Fully fitted shelves that can be fitted over bain maries, refrigerated wells or ambient bench tops
- Heated shelf models are fitted with infra-red heat lamps
- Heated shelves are ideal for meal pick up areas
- Stainless steel posts (32 x 32mm)
- Complete stainless steel construction

NOTE: Specify top or bottom shelf when ordering single heated shelf



2 Tier gantry - Single heated shelf

Description	Model	Dimensions	Electrical Rating (all 240V)	RRP ex GST
Suits 3 bay model - 2 heat lamps	CH.CDG.3HS	1080 x 300 x 750	600W, 2.5A	\$880
Suits 4 bay model - 3 heat lamps	CH.CDG.4HS	1420 x 300 x 750	900W, 3.75A	\$1,040
Suits 5 bay model - 4 heat lamps	CH.CDG.5HS	1760 x 300 x 750	1200W, 5A	\$1,120
Suits 6 bay model - 4 heat lamps	CH.CDG.6HS	2100 x 300 x 750	1200W, 5A	\$1,180
Suits 7 bay model - 5 heat lamps	CH.CDG.7HS	2440 x 300 x 750	1500W, 6.25A	\$1,480
Suits 8 bay model - 6 heat lamps	CH.CDG.8HS	2780 x 300 x 750	1800W, 7.5A	\$1,520

2 Tier gantry - Dual heated shelves

Description	Model	Dimensions	Electrical Rating (all 240V)	RRP ex GST
Suits 3 bay model - 2 heat lamps per shelf	CH.CDG.3H	1080 x 300 x 750	1200W, 5A	\$980
Suits 4 bay model - 3 heat lamps per shelf	CH.CDG.4H	1420 x 300 x 750	1800W, 7.5A	\$1,120
Suits 5 bay model - 4 heat lamps per shelf	CH.CDG.5H	1760 x 300 x 750	2400W, 10A	\$1,320
Suits 6 bay model - 4 heat lamps per shelf	CH.CDG.6H	2100 x 300 x 750	2400W, 10A	\$1,380
Suits 7 bay model - 5 heat lamps per shelf	CH.CDG.7H	2440 x 300 x 750	3000W, 12.5A	\$1,620
Suits 8 bay model - 6 heat lamps per shelf	CH.CDG.8H	2780 x 300 x 750	3600W, 15A	\$1,680

Cannot be fitted to CBMHx.U units as current drain will be over 20 Amp

2 Tier gantry - Dual unheated shelves


Description	Model	Dimensions	RRP ex GST
Suits 3 bay model	CH.CDG.3	1080 x 300 x 750	\$690
Suits 4 bay model	CH.CDG.4	1420 x 300 x 750	\$720
Suits 5 bay model	CH.CDG.5	1760 x 300 x 750	\$820
Suits 6 bay model	CH.CDG.6	2100 x 300 x 750	\$940
Suits 7 bay model	CH.CDG.7	2440 x 300 x 750	\$1,090
Suits 8 bay model	CH.CDG.8	2780 x 300 x 750	\$1,220

NOTE: To fit a gantry to a Culinaire bain marie (CH.CBM series) or bain marie hot-cupboard (CH.CBMH.U series) you will also need a suitable work-top or a custom top supplied by others. Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details.

BAIN MARIE & HOT CUPBOARD ACCESSORIES


WORK SHELF

- ❑ Lift-up removable shelf to side of unit
- ❑ Designed for heavy duty commercial use
- ❑ Complete stainless steel construction in no. 4 finish



<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>RRP ex GST</i>
Suits 3 bay model	CH.CWS.3	1100 x 250	\$460
Suits 4 bay model	CH.CWS.4	1440 x 250	\$500
Suits 5 bay model	CH.CWS.5	1780 x 250	\$560
Suits 6 bay model	CH.CWS.6	2120 x 250	\$620
Suits 7 bay model	CH.CWS.7	2460 x 250	\$640
Suits 8 bay model	CH.CWS.8	2800 x 250	\$660


PAN/CROSS BAR DIVIDERS



- ❑ To suit Culinaire bain maries
- ❑ Stainless steel construction

<i>Description</i>	<i>Model</i>	<i>RRP ex GST</i>
Large pan dividers	CH.CPD.L	\$20
Cross bar dividers	CH.CPD.C	\$16

BAIN MARIE HOTCUPBOARD & UNDERCOUNTER HOTCUPBOARD SHELVES



- ❑ Additional shelves for bain marie hotcupboards and undercounter hotcupboards
- ❑ Suits CH.CBMH and CH.CHC ranges
- ❑ Chrome plated steel construction

Requirements for a full set of shelves

Model	Racks required per model			
	Part ID	Qty	Part ID	Qty
CH.CBMH3.M	CMGE.0415	2		
CH.CBMH3.U	CMGE.0418	2		
CH.CBMH4.M	CMGE.0416	2		
CH.CBMH4.U	CMGE.0419	2		
CH.CBMH5.U	CMGE.0418	1	CMGE.0419	2
CH.CBMH6.U	CMGE.0420	3		
CH.CBMH7.U	CMGE.0418	2	CMGE.0419	2
CH.CBMH8.U	CMGE.0419	4		
CH.CHC3.U	CMGE.0415	2		
CH.CHC4.U	CMGE.0416	2		
CH.CHC5.U	CMGE.0415	1	CMGE.0416	2
CH.CHC6.U	CMGE.0417	3		
CH.CHC7.U	CMGE.0415	2	CMGE.0416	2
CH.CHC8.U	CMGE.0416	4		

<i>Model</i>	<i>Dimensions</i>	<i>RRP ex GST</i>
CMGE.0415	500 x 385	\$40
CMGE.0416	500 x 550	\$52
CMGE.0417	500 x 600	\$56
CMGE.0418	600 x 385	\$48
CMGE.0419	600 x 550	\$58
CMGE.0420	600 x 600	\$62

MOBILE PLATE DISPENSER

MOBILE PLATE DISPENSER

- Fully mobile plate dispenser
- Fan forced heat (dual tube only), static heat, or ambient models available
- Heated models come with double walled carcass
- Fitted with either 1 or 2 x 75kg capacity adjustable plate dispensing tubes that suit 260-310mm plates
- Thermostatically controlled elements with digital controller
- Complete 304 stainless steel construction
- Supplied with heavy duty 125mm castors with brakes
- Lids sold separately

Single tube model



<i>Description</i>	<i>Model</i>	<i>Dimensions & Electrical Rating</i>	<i>RRP ex GST</i>
Single tube static heated mobile plate dispenser	CH.CPD1.HS	565 x 655 x 960 600W 2.5A 240V	\$3,260
Single tube ambient mobile plate dispenser	CH.CPD1.A	565 x 655 x 960 600W 2.5A 240V	\$3,840

Dual tube model



Dual tube fan forced heated mobile plate dispenser	CH.CPD2.HF	565 x 1075 x 960 2200W 9.2A 240V	\$4,920
Dual tube static heated mobile plate dispenser	CH.CPD2.HS	565 x 1075 x 960 2200W 9.2A 240V	\$4,380
Dual tube ambient mobile plate dispenser	CH.CPD2.A	565 x 1075 x 960	\$3,980

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

MOBILE PLATE DISPENSER

PLATE DISPENSER TUBES - AMBIENT & HEATED

- Heated and ambient plate dispenser tubes
- Suits 260-310mm plates and 290-338mm plates
- Drop-in to bench cut-out
- Ambient - open configuration
- Heated - includes full stainless steel shroud and 10 amp plug and lead



<i>Description</i>	<i>Model</i>	<i>Dimensions & Electrical Rating</i>	<i>RRP ex GST</i>
Ambient models	CMGE.0574	400 x 400 x 760 <i>Suits plates 260-310mm</i>	\$830
	CMGE.0576	450 x 450 x 760 <i>Suits plates 290-338mm</i>	\$935
Heated models	CMGE.0947	382 x 382 x 730 <i>Suits plates 210-285mm</i>	\$1,565
	CMGE.0575	400 x 400 x 760 <i>Suits plates 260-310mm</i>	\$1,585
	CMGE.0577	450 x 450 x 760 <i>Suits plates 290-338mm</i>	\$1,665

PLATE DISPENSER TUBES LIDS

- Grey polycarbonate lid to suit 310 & 340 series plate dispenser tubes



<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>RRP ex GST</i>
Tube lids	CMGE.0578	Suits 310 & 340mm diameter	\$90



Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

VERTICAL HOT CUPBOARDS

VERTICAL HOT CUPBOARD - 2/1 GASTRONORM HALF HEIGHT UNITS

- ❑ Designed for the storage of pre-cooked food in covered G/N pans
- ❑ Designed as a storage cabinet to transport pre-heated food
- ❑ Solid element in base provides heating source
- ❑ Excellent long term food holding capacity
- ❑ Easy-to-use and highly reliable mechanical temperature controls
- ❑ On / Off switch with indicator light
- ❑ Thermostatically controlled elements
- ❑ Double skinned construction insulation on all sides
- ❑ Magnetic catch and snap lock handle to ensure firm door closure
- ❑ Self-closing hinges on all doors
- ❑ Horizontal transport handle for effortless manoeuvrability of the cart
- ❑ Fully adjustable slides for different size pans
- ❑ Complete 304 grade stainless steel construction (no mild steel used)
- ❑ Supplied with 4 x 2/1 GN sized racks

<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
Half height 2/1 gastronorm static heating hot cupboard	CH.VHCM.2-1.HH.S	695 x 855 x 1080	1500W 6.25A 240V	\$3,785
Half height 2/1 gastronorm static heating glass door hot cupboard	CH.VHCM.2-1.HHG.S	695 x 855 x 1080	1500W 6.25A 240V	\$3,890



VERTICAL HOT CUPBOARDS

VERTICAL HOT CUPBOARD - 2/1 GASTRONORM FULL HEIGHT UNITS

- ❑ Designed for the storage of pre-cooked food in covered G/N pans
- ❑ Designed as a storage cabinet to transport pre-heated food
- ❑ Solid element in base provides heating source
- ❑ Excellent long term food holding capacity
- ❑ Easy-to-use and highly reliable mechanical temperature controls
- ❑ On / Off switch with indicator light
- ❑ Thermostatically controlled elements
- ❑ Double skinned construction insulation on all sides
- ❑ Magnetic catch and snap lock handle to ensure firm door closure
- ❑ Self-closing hinges on all doors
- ❑ Horizontal transport handle for effortless manoeuvrability of the cart
- ❑ Fully adjustable slides for different size pans
- ❑ Complete 304 grade stainless steel construction (no mild steel used)
- ❑ Supplied with 7 x 2/1 GN sized racks



<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
Full height 2/1 gastronorm static heating hot cupboard	CH.VHCM.2-1.FH.S	695 x 855 x 1815	2250W 9.37A 240V	\$4,660
Full height 2/1 gastronorm static heating 2 door hot cupboard	CH.VHCM.2-1.FH.2D.S	695 x 855 x 1815	2250W 9.37A 240V	\$5,220
Full height 2/1 gastronorm static heating glass door hot cupboard	CH.VHCM.2-1.FHG.S	695 x 855 x 1815	2250W 9.37A 240V	\$5,285
Full height 2/1 gastronorm static heating 2 glass door hot cupboard	CH.VHCM.2-1.FH2G.S	695 x 855 x 1815	2250W 9.37A 240V	\$5,320

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BANQUET CARTS

BANQUET CARTS GASTRONORM SIZE

- ❑ Designed for the storage of pre-cooked food in pans, or plated meals
- ❑ Ideal for banquet situations or for extra kitchen heated storage
- ❑ Unique heater blanket system evenly and gently keeps the food warm
- ❑ Unique heater blanket system promotes minimal moisture loss in product due to motionless heat
- ❑ Excellent long term food holding capacity
- ❑ Easy to slide Crisp/Moist slot to control humidity
- ❑ Easy-to-use digital display, preset to 85°C from factory
- ❑ On / Off switch with indicator light
- ❑ Double skinned construction insulation on all sides
- ❑ Magnetic catch and snap lock handle to ensure firm door closure
- ❑ Self-closing hinges on all doors
- ❑ Horizontal transport handle for effortless manoeuvrability of the cart
- ❑ Fully adjustable slides for different size pans
- ❑ Complete 304 grade stainless steel construction (no mild steel used)
- ❑ Supplied on sturdy 125mm easy-to-push lockable castors



<i>Description</i>	<i>Model</i>	<i>Dimensions & Electrical Rating</i>	<i>RRP ex GST</i>
Single door gastronorm banquet cart		945 x 795 x 1635	
Capacity - 26 x 1/1 GN or 13 x 2/1 GN pans 65mm deep	CH.CBC.2611	1680W 7A 240V	\$7,220
Includes 13 sets of tray/rack slides & 4 chrome plated shelves			



Single door gastronorm compact banquet cart		945 x 795 x 1345	
Capacity - 20 x 1/1 GN or 10 x 2/1 GN pans 65mm deep	CH.CBC.2011	1680W 7A 240V	\$6,520
Includes 10 sets of tray/rack slides & 4 chrome plated shelves			



Single door gastronorm undercounter banquet cart		945 x 780 x 830	
Capacity - 12 x 1/1 GN or 6 x 2/1 GN pans 65mm deep	CH.CBC.1211	840W 3.5A 240V	\$5,860
Includes 6 sets of tray/rack slides & 4 chrome plated shelves			

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BANQUET CARTS

BANQUET CARTS

- Designed for the storage of pre-cooked food in pans, or plated meals
- Ideal for banquet situations or for extra kitchen heated storage
- Unique heater blanket system evenly and gently keeps the food warm
- Unique heater blanket system promotes minimal moisture loss in product due to motionless heat
- Excellent long term food holding capacity
- Easy to slide Crisp/Moist slot to control humidity
- Easy-to-use digital display, preset to 85°C from factory
- On / Off switch with indicator light
- Double skinned construction insulation on all sides
- Magnetic catch and snap lock handle to ensure firm door closure
- Self-closing hinges on all doors
- Horizontal transport handle for effortless manoeuvrability of the cart
- Fully adjustable slides for different size pans
- Complete 304 grade stainless steel construction (no mild steel used)
- Supplied on sturdy 125mm easy-to-push lockable castors



Description	Model	Dimensions & Electrical Rating	RRP ex GST
Double door 96 plate banquet cart		1110 x 780 x 1815	
Capacity - 96 x 10" (254mm) plates using plate holders	CH.CBC.96	1680W 7A 240V	\$7,960
Includes 4 x tray/rack slides & 4 x chrome plated shelves			



Double door 128 plate banquet cart		1310 x 780 x 1815	
Capacity - 128 x 10" (254mm) plates using plate holders	CH.CBC.128	2020W 8.41A 240V	\$8,820
Includes 4 x tray/rack slides & 4 x chrome plated shelves			

TOTAL CAPACITY FOR ABOVE UNITS:
Using Plate Carriers (refer to page 18-H)



CH.CBC96	24 X CPC8-10C - 96 pre-plated meals 16 x CPC10-12C - 64 pre-plated meals
CH.CBC128	32 X CPC8-10C - 128 pre-plated meals 24 x CPC10-12C - 96 pre-plated meals

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BANQUET CART ACCESSORIES

TRAY SLIDES - PER PAIR



<i>Description</i>	<i>Model</i>	<i>RRP ex GST</i>
Tray slides - to suit CH.CBC2611, 2011, 1211, 96 & 128	CH.CTS	\$34

CHROME PLATED WIRE PLATE CARRIERS




<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>RRP ex GST</i>
Chrome plated plate carriers (hold 4 pre-plated meals. 67mm vertical rung spacing)			
8" to 9" diameter plate carrier	CMGE.0980	255 x 240 x 295	\$88



10" to 11" diameter plate carrier	CMGE.0979	300 x 240 x 300	\$98
-----------------------------------	-----------	-----------------	------


STAINLESS STEEL WIRE GASTRONORM RACKS



2/1 to suit CH.CBC.2611 & CH.CBC.2011	CMGE.926	530 x 650	\$88
---------------------------------------	----------	-----------	------


1/1 to suit CH.CBC.2611 & CH.CBC.2011	CMGE.927	530 x 325	\$68
---------------------------------------	----------	-----------	------

CHROME WIRE GASTRONORM RACKS



2/1 to suit CH.CBC.2611 & CH.CBC.2011	CMGE.0421	530 x 650	\$36
---------------------------------------	-----------	-----------	------

CHROME WIRE RACKS (for plating models)



To suit CH.CBC.96	CMGE.0422	610 x 690	\$88
To suit CH.CBC.128	CMGE.0013	906 x 612	\$118

OTHER PRODUCTS

WARMER DRAWERS

- Uses unique heater blanket system to evenly and gently heat the food being kept in drawers
- Holds one 1/1 GN pan per drawer
- Complete 304 stainless steel construction




<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
2 warming drawers 1/1	CH.CWD2.1/1	615 x 630 x 520	500W 2.08A 240V	\$3,860
2 warming drawers 1/1 with independent timer and notification lights	CH.CWD2.N	615 x 630 x 520	500W 2.08A 240V	\$4,800

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

HOT FOOD SLIDE

FLAT HOT FOOD SLIDE

- Ideal for canteens and self serve food sales outlets for keeping pre-cooked and packaged food warm
- Overhead heat lamps above the front of each shelf to keep product warm and illuminated for customers
- Two additional overhead stainless steel elements per shelf to ensure even heat of all products from front to back
- Base slides heated with specially engineered heater pads to ensure a warm and even heat distribution without burn-spots
- 8mm diameter heavy-duty stainless steel product divider bars, adjustable in 20mm increments, can fit foods of all sizes and are removable for easy cleaning
- Individual heat controls for each shelf and heavy-duty on/off switches
- Durable on-off switches operate the overhead lighting for each shelf
- Heavy duty construction in 1.2mm 304 grade stainless steel



Single slide model

Description	Model	Dimensions	Electrical Rating	RRP ex GST
900 wide unit	CH.HFS.F.1.900	900 x 750 x 483	2310W 3Ø 3.5A/Ø ^{AV} 240V	\$5,820
1200 wide unit	CH.HFS.F.1.1200	1200 x 750 x 483	3400W 3Ø 5A/Ø ^{AV} 240V	\$6,010
1500 wide unit	CH.HFS.F.1.1500	1500 x 750 x 483	4350W 3Ø 6A/Ø ^{AV} 240V	\$6,550

Dual slide model


Description	Model	Dimensions	Electrical Rating	RRP ex GST
900 wide unit	CH.HFS.F.2.900	900 x 750 x 762	4620W 3Ø 7A/Ø ^{AV} 240V	\$8,280
1200 wide unit	CH.HFS.F.2.1200	1200 x 750 x 762	6800W 3Ø 10A/Ø ^{AV} 240V	\$8,590
1500 wide unit	CH.HFS.F.2.1500	1500 x 750 x 762	8700W 3Ø 12A/Ø ^{AV} 240V	\$8,930

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

HOT FOOD SLIDE

ANGLED HOT FOOD SLIDE

- Ideal for canteens and self serve food sales outlets for keeping pre-cooked and packaged food warm
- Overhead heat lamps above the front of each shelf to keep product warm and illuminated for customers
- Two additional overhead stainless steel elements per shelf to ensure even heat of all products from front to back
- Base slides heated with specially engineered heater pads to ensure a warm and even heat distribution without burn-spots
- 8mm diameter heavy-duty stainless steel product divider bars, adjustable in 20mm increments, can fit foods of all sizes and are removable for easy cleaning
- Individual heat controls for each shelf and heavy-duty on/off switches
- Durable on-off switches operate the overhead lighting for each shelf
- Heavy duty construction in 1.2mm 304 grade stainless steel



Single slide model

Description	Model	Dimensions	Electrical Rating	RRP ex GST
900 wide unit	CH.HFS.A.1.900	900 x 750 x 483	2310W 3Ø 3.5A/Ø ^{AV} 240V	\$5,820
1200 wide unit	CH.HFS.A.1.1200	1200 x 750 x 483	3400W 3Ø 5A/Ø ^{AV} 240V	\$6,010
1500 wide unit	CH.HFS.A.1.1500	1500 x 750 x 483	4350W 3Ø 6A/Ø ^{AV} 240V	\$6,550

Dual slide model

Description	Model	Dimensions	Electrical Rating	RRP ex GST
900 wide unit	CH.HFS.A.2.900	900 x 750 x 762	4620W 3Ø 7A/Ø ^{AV} 240V	\$8,280
1200 wide unit	CH.HFS.A.2.1200	1200 x 750 x 762	6800W 3Ø 10A/Ø ^{AV} 240V	\$8,590
1500 wide unit	CH.HFS.A.2.1500	1500 x 750 x 762	8700W 3Ø 12A/Ø ^{AV} 240V	\$8,930


Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

CHILLAIR - HIGH PERFORMANCE

CHILLAIR ISLAND BUFFET

- A practical and attractive solution to the presentation and storage of food for self-serve and in crib situations
- Full-length fan-forced refrigeration system mounted to the base of the cold well
- Designed to hold products at temperatures between 1°C and 5°C in 35°C ambient temperatures
- Fitted with a heavy-duty stainless steel gantry support frame and light surround
- 10mm perspex gantry fitted with overhead fluorescent lights
- Takes gastronorm pans up to 100mm deep
- Robust On/Off switches to operate cold well and overhead gantry lights
- Digital temperature controller for accurate and easy-to-read display
- Self-contained refrigeration with removable bucket for condensate (No plumbing to waste required)
- Complete 304 stainless steel construction
- Optional removable tray race is also available (sold separately)
- Supplied with stainless steel covers for the cold well
- Supplied on heavy-duty castors

chillair




Description	Model	Dimensions	Electrical Rating	RRP ex GST
6 Gastronorm pan capacity island buffet	CR.IB.CLCBF6	2140 x 754 x 1535	1680W 7A 240V	\$14,995
8 Gastronorm pan capacity island buffet	CR.IB.CLCBF8	2810 x 754 x 1535	1680W 7A 240V	\$15,750
6 Module tray race 4 per unit as standard	CR.IB.CLCBF6.TR			\$320 each
8 Module tray race 4 per unit as standard	CR.IB.CLCBF8.TR			\$340 each

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BACKBAR DRINK CABINETS - REMOTE

BACK BAR REFRIGERATOR - ALUMINIUM FRAME DOORS

- Keeps contents at a cool 1°C in 32°C ambient temperatures
- Ensures maximum product visibility with interior vertical LED lighting
- Aluminium framed low energy double glazed, heated and toughened glass doors are self-closing and self-sealing to ensure ease of operation & improved efficiency
- Available in 2-7 doors to suit every application
- Left hand hinged doors as standard
- Choice of either stainless steel or black internal and external finishes as standard
- Supplied with 4 adjustable shelves per door



Stainless steel finish models

Description	Model	Dimensions	Electrical Rating	RRP ex GST
2 door model	CR.BB.UC2.T1.A.R.SSA.L.2	1450 x 700 x 960	300W, 1.2A 240V	\$9,215
3 door model	CR.BB.UC3.T1.A.R.SSA.L.2	1970 x 700 x 960	430W, 1.8A 240V	\$11,735
4 door model	CR.BB.UC4.T1.A.R.SSA.L.2	2490 x 700 x 960	576W, 2.4A 240V	\$14,200
5 door model	CR.BB.UC5.T1.A.R.SSA.L.2	3010 x 700 x 960	720W, 3A 240V	\$16,580
6 door model	CR.BB.UC6.T1.A.R.SSA.L.2	3530 x 700 x 960	865W, 3.6A 240V	\$19,040
7 door model	CR.BB.UC7.T1.A.R.SSA.L.2	4050 x 700 x 960	1010W, 4.2A 240V	\$21,370

Black finish models


Description	Model	Dimensions	Electrical Rating	RRP ex GST
2 door model	CR.BB.UC2.T1.A.R.BBB.L.2	1450 x 700 x 960	300W, 1.2A 240V	\$9,245
3 door model	CR.BB.UC3.T1.A.R.BBB.L.2	1970 x 700 x 960	430W, 1.8A 240V	\$11,800
4 door model	CR.BB.UC4.T1.A.R.BBB.L.2	2490 x 700 x 960	576W, 2.4A 240V	\$14,305
5 door model	CR.BB.UC5.T1.A.R.BBB.L.2	3010 x 700 x 960	720W, 3A 240V	\$16,725
6 door model	CR.BB.UC6.T1.A.R.BBB.L.2	3530 x 700 x 960	865W, 3.6A 240V	\$19,230
7 door model	CR.BB.UC7.T1.A.R.BBB.L.2	4050 x 700 x 960	1010W, 4.2A 240V	\$21,590

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BACKBAR DRINK CABINETS - REMOTE

BACK BAR REFRIGERATOR - STAINLESS STEEL DOORS AND FOLDED HANDLES

- Keeps contents at a cool 1°C in 32°C ambient temperatures
- Ensures maximum product visibility with interior vertical LED lighting
- Stainless steel double glazed, heated and toughened glass doors are self-closing and self-sealing to ensure ease of operation
- Available in 2-7 doors to suit every application
- Left hand hinged doors as standard
- Choice of either stainless steel or black internal and external finishes as standard
- Supplied with 4 adjustable shelves per door



Stainless steel finish models

Description	Model	Dimensions	Electrical Rating	RRP ex GST
2 door model	CR.BB.UC2.T2.A.R.SSS.L.2	1450 x 700 x 960	300W, 1.2A 240V	\$10,965
3 door model	CR.BB.UC3.T2.A.R.SSS.L.2	1970 x 700 x 960	430W, 1.8A 240V	\$14,340
4 door model	CR.BB.UC4.T2.A.R.SSS.L.2	2490 x 700 x 960	576W, 2.4A 240V	\$17,725
5 door model	CR.BB.UC5.T2.A.R.SSS.L.2	3010 x 700 x 960	720W, 3A 240V	\$20,930
6 door model	CR.BB.UC6.T23.A.R.SSS.L.2	3530 x 700 x 960	865W, 3.6A 240V	\$24,270
7 door model	CR.BB.UC7.T2.A.R.SSS.L.2	4050 x 700 x 960	1010W, 4.2A 240V	\$27,465

Black finish models


Description	Model	Dimensions	Electrical Rating	RRP ex GST
2 door model	CR.BB.UC2.T2.A.R.BBB.L.2	1450 x 700 x 960	300W, 1.2A 240V	\$11,095
3 door model	CR.BB.UC3.T2.A.R.BBB.L.2	1970 x 700 x 960	430W, 1.8A 240V	\$14,555
4 door model	CR.BB.UC4.T2.A.R.BBB.L.2	2490 x 700 x 960	576W, 2.4A 240V	\$18,020
5 door model	CR.BB.UC5.T2.A.R.BBB.L.2	3010 x 700 x 960	720W, 3A 240V	\$21,315
6 door model	CR.BB.UC6.T2.A.R.BBB.L.2	3530 x 700 x 960	865W, 3.6A 240V	\$24,740
7 door model	CR.BB.UC7.T2.A.R.BBB.L.2	4050 x 700 x 960	1010W, 4.2A 240V	\$28,020

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

BACKBAR DRINK CABINETS - REMOTE

BACK BAR REFRIGERATOR - STAINLESS STEEL DOORS AND RECESSED HANDLES

- Keeps contents at a cool 1°C in 32°C ambient temperatures
- Ensures maximum product visibility with interior vertical LED lighting
- Stainless steel double glazed, heated and toughened glass doors are self-closing and self-sealing to ensure ease of operation
- Available in 2-7 doors to suit every application
- Left hand hinged doors as standard
- Choice of either stainless steel or black internal and external finishes as standard
- Supplied with 4 adjustable shelves per door



Stainless steel finish models

Description	Model	Dimensions	Electrical Rating	RRP ex GST
2 door model	CR.BB.UC2.T3.A.R.SSS.L.2	1450 x 700 x 960	300W, 1.2A 240V	\$10,725
3 door model	CR.BB.UC3.T3.A.R.SSS.L.2	1970 x 700 x 960	430W, 1.8A 240V	\$13,980
4 door model	CR.BB.UC4.T3.A.R.SSS.L.2	2490 x 700 x 960	576W, 2.4A 240V	\$17,245
5 door model	CR.BB.UC5.T3.A.R.SSS.L.2	3010 x 700 x 960	720W, 3A 240V	\$20,330
6 door model	CR.BB.UC6.T3.A.R.SSS.L.2	3530 x 700 x 960	865W, 3.6A 240V	\$23,495
7 door model	CR.BB.UC7.T3.A.R.SSS.L.2	4050 x 700 x 960	1010W, 4.2A 240V	\$26,625

Black finish models


Description	Model	Dimensions	Electrical Rating	RRP ex GST
2 door model	CR.BB.UC2.T3.A.R.BBB.L.2	1450 x 700 x 960	300W, 1.2A 240V	\$10,855
3 door model	CR.BB.UC3.T3.A.R.BBB.L.2	1970 x 700 x 960	430W, 1.8A 240V	\$14,200
4 door model	CR.BB.UC4.T3.A.R.BBB.L.2	2490 x 700 x 960	576W, 2.4A 240V	\$17,545
5 door model	CR.BB.UC5.T3.A.R.BBB.L.2	3010 x 700 x 960	720W, 3A 240V	\$20,720
6 door model	CR.BB.UC6.T3.A.R.BBB.L.2	3530 x 700 x 960	865W, 3.6A 240V	\$23,965
7 door model	CR.BB.UC7.T3.A.R.BBB.L.2	4050 x 700 x 960	1010W, 4.2A 240V	\$27,185

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

GLASS CHILLERS - REMOTE

1 DOOR GLASS CHILLERS

- ❑ Self-closing glass door with triple glazing
- ❑ Adjustable runners to hold 14" x 17" or 14" x 14" glass baskets. (Baskets not included)
- ❑ Full height, ergonomic door handle
- ❑ Full length, refrigeration system mounted on rear wall provides even, fan forced cooling and effective air temperature control
- ❑ Digital temperature controller for accurate and easy to read display
- ❑ Complete 304 grade stainless steel construction



Lift off lid
model shown

Lift off lid model

Description	Model	Dimensions	Electrical Rating	RRP ex GST
1 Door, left hinged, lift off lid, control box on left	CR.GC.1D.L.LD	760 x 670 x 880	120W 0.5A 240V	\$5,020
1 Door, right hinged, lift off lid, control box on left	CR.GC.1D.L.RD	760 x 670 x 880	120W 0.5A 240V	\$5,020
1 Door, left hinged, lift off lid, control box on right	CR.GC.1D.R.LD	760 x 670 x 880	120W 0.5A 240V	\$5,020
1 Door, right hinged, lift off lid, control box on right	CR.GC.1D.R.RD	760 x 670 x 880	120W 0.5A 240V	\$5,020

Sliding lid model


Description	Model	Dimensions	Electrical Rating	RRP ex GST
1 Door, left hinged, sliding lid, control box on left	CR.GC.1D.L.LD.SL	760 x 670 x 880	120W 0.5A 240V	\$4,945
1 Door, right hinged, sliding lid, control box on left	CR.GC.1D.L.RD.SL	760 x 670 x 880	120W 0.5A 240V	\$4,945
1 Door, left hinged, sliding lid, control box on right	CR.GC.1D.R.LD.SL	760 x 670 x 880	120W 0.5A 240V	\$4,945
1 Door, right hinged, sliding lid, control box on right	CR.GC.1D.R.RD.SL	760 x 670 x 880	120W 0.5A 240V	\$4,945

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

GLASS CHILLERS - REMOTE

2 DOOR GLASS CHILLERS

- Self-closing glass door with triple glazing
- Adjustable runners to hold 14" x 17" or 14" x 14" glass baskets. (Baskets not included)
- Full height, ergonomic door handles
- Full length, refrigeration system mounted on rear wall provides even, fan forced cooling and effective air temperature control
- Digital temperature controller for accurate and easy to read display
- Complete 304 grade stainless steel construction



Lift off lid model shown

Lift off lid model

<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
2 Door, lift off lid, control box on left	CR.GC.2D.L	1200 x 670 x 880	240W 1A 240V	\$6,520
2 Door, lift off lid, control box on right	CR.GC.2D.R	1200 x 670 x 880	240W 1A 240V	\$6,520

Sliding lid model


<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>Electrical Rating</i>	<i>RRP ex GST</i>
2 Door, sliding lid, control box on left	CR.GC.2D.L.SL	1200 x 670 x 880	240W 1A 240V	\$6,360
2 Door, sliding lid, control box on right	CR.GC.2D.R.SL	1200 x 670 x 880	240W 1A 240V	\$6,360

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

OTHER PRODUCTS

TRAY LOWERATOR

- ❑ To be utilised for the transport and distribution of trays, dishwasher baskets and glasses in baskets
- ❑ Ideal for use in serving lines, tray makeup lines, or hot beverage service points
- ❑ Spring loaded lift mechanism, adjustable for different weight trays and baskets
- ❑ Includes pull/push handle
- ❑ Maximum load 100kg
- ❑ Stacking height at approximately 500mm
- ❑ Bottom storage surface with rubber bumpers
- ❑ Supplied with large 125mm diameter castors with brakes






<i>Description</i>	<i>Model</i>	<i>Dimensions</i>	<i>RRP ex GST</i>
Heavy duty stainless steel tray lowerator for holding service trays	CH.CTL.1	610 x 545 x 960	\$3,920
Heavy duty stainless steel tray lowerator for holding dishwasher baskets	CH.CTL.2	610 x 635 x 960	\$4,140

SERVICE WALLS

FREE STANDING SERVICE WALLS

- Free standing spine walls and utility distribution system walls allow cooking equipment to sit hard back, with no visible void behind the equipment, yet still allowing enough space for all external and flexible connections
- Formed channel construction for stability
- The service wall is designed to allow hydraulic, gas and electrical mains to be run with ease through risers, from penetration in the slab
- To minimise drilling on-site and allow easy installation, all internal stiffeners have 25mm diameter holes provided
- Risers can be provided with recessed panels to the end to accommodate the gas shut-off valve or electrical isolator switches (to be specified when ordering)
- All free standing models available with and without services


	<i>Description</i>	<i>Model</i>	<i>RRP ex GST</i>
	Free standing no service riser spine wall	CU.SWFS.NSR.T1x.length	P.O.A
	Free standing no service riser utility distribution system	CU.SWFS.NSR.T2x.length	P.O.A
	Free standing single riser spine wall	CU.SWFS.SSR.T1x.H.length	P.O.A
	Free standing single riser utility distribution system	CU.SWFS.SSR.T2x.H.length	P.O.A
	Free standing dual riser spine wall	CU.SWFS.DSR.T1x.H.length	P.O.A
	Free standing dual riser utility distribution system	CU.SWFS.DSR.T2x.H.length	P.O.A

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price

SERVICE WALLS

WALL MOUNTED SERVICE WALL

- Wall mounted utility distribution system walls allow cooking equipment to sit hard back, with no visible void behind the equipment, yet still allowing enough space for all external and flexible connections
- Formed channel construction for stability
- The service wall is designed to allow hydraulic, gas and electrical mains to be run with ease from the ceiling space through pre-drilled holes in the top channel
- To minimise drilling on-site and allow easy installation, all internal stiffeners have 25mm diameter holes provided
- Risers can be provided with recessed panels to the end to accommodate the gas shut off valve or electrical isolator switches, specify when ordering




<i>Description</i>	<i>Model</i>	<i>RRP ex GST</i>
Wall mounted service wall	CU.WM.length	P.O.A

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. WA, NT & TAS - For orders in these states please add 5% transport surcharge to your purchase price


EXHAUST CANOPIES

EXHAUST CANOPIES


- The Culinaire range of kitchen exhaust hoods have been designed and manufactured to comply with Australian Standards
- The hoods are manufactured from 1.2mm thick Stainless Steel, 304 grade with No. 4 finish to be rigid and corrosion resistant
- A fully welded grease gutter (excluding condensate model) is integrated within the perimeter of the exhaust hood
- One (or more, depending on the length of the hood) sealed fluorescent lighting systems is supplied as standard
- The lights are accessible from inside the exhaust hood via a hinged, 6mm thick, safety glass cover
- The exhaust hoods are fitted with stainless steel baffle filters as standard
- Low profile filters (495mm x 254mm) allow for the overall hood height to be minimised
- Grease gutter plugs are located at each end of the wall-side of the exhaust hood gutter for periodic cleaning or for connection to a drain
- Condensate hoods are ideal for installations above commercial steamers, dishwashers and worktables
- All hoods (excluding condensate hoods) have the option of being manufactured in 1.2mm galvanised steel



<i>Description</i>	<i>Model</i>	<i>RRP ex GST</i>
Condensate tapered hood	SPEH.CT.T1.length.width.height.S	P.O.A




Condensate hood Type 1 800mm high	SPEH.CB.T1.1000.1000.800.S	\$2,075
---	----------------------------	---------




Condensate hood Type 2 1050mm high	SPEH.CB.T2.1000.1000.1050.S	\$2,025
--	-----------------------------	---------

Condensate recirculating hood	SPEH.CB.R.T1.1000.1600.600.S	\$4,300
--------------------------------------	------------------------------	---------



V Bank hood - Type 1 No make-up air		
Stainless steel hood	SPEH.VB.T1.length.1100.600.S	P.O.A
Galvanised steel hood	SPEH.VB.T1.length.1100.600.G	P.O.A







V Bank hood - Type 1 With make-up air		
Stainless steel hood	SPEH.VB.MA.T1.length.1100.600.S	P.O.A
Galvanised steel hood	SPEH.VB.MA.T1.length.1100.600.G	P.O.A

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. Packed ex works Brisbane - Freight not included

EXHAUST CANOPIES

EXHAUST CANOPIES

- The Culinaire range of kitchen exhaust hoods have been designed and manufactured to comply with Australian Standards
- The hoods are manufactured from 1.2mm thick Stainless Steel, 304 grade with No. 4 finish to be rigid and corrosion resistant
- A fully welded grease gutter is integrated within the perimeter of the exhaust hood
- One (or more, depending on the length of the hood) sealed fluorescent lighting systems is supplied as standard
- The lights are accessible from inside the exhaust hood via a hinged, 6mm thick, safety glass cover
- The exhaust hoods are fitted with stainless steel baffle filters as standard
- The size of the filters (495mm x 495mm) reduces the need for frequent cleaning, yet allows them to fit into most dishwashers
- Grease gutter plugs are located at each end of the wall-side of the exhaust hood gutter for periodic cleaning or for connection to a drain
- All hoods have the option of being manufactured in 1.2mm galvanised steel

	Description	Model	RRP ex GST
	Box hood - Type 1 No make-up air		
	1100 wide stainless steel hood	SPEH.BH.T1.length.1100.800.S	P.O.A
	1100 wide galvanised steel hood	SPEH.BH.T1.length.1100.800.G	P.O.A
	Box hood - Type 1 With make-up air		
	1100 wide stainless steel hood	SPEH.BH.MA.T1.length.1100.800.S	P.O.A
	1100 wide galvanised steel hood	SPEH.BH.MA.T1.length.1100.800.G	P.O.A
	Box hood - Type 2 No make-up air		
	1200 wide stainless steel hood	SPEH.BH.T2.length.1200.1050.S	P.O.A
	1200 wide galvanised steel hood	SPEH.BH.T2.length.1200.1050.G	P.O.A
	Box hood - Type 2 With make-up air		
	1200 wide stainless steel hood	SPEH.BH.MA.T2.length.1200.1050.S	P.O.A
	1200 wide galvanised steel hood	SPEH.BH.MA.T2.length.1200.1050.G	P.O.A

Customisation and variations on products listed above available upon request. See technical data sheet or ask your sales representative for more details. Packed ex works Brisbane - Freight not included